



**Exclusive
and hip.**

PURE BLACK

For BACHMANN, PURE BLACK stands for a totally black product series and thus communicates exclusivity and design with a strong character and timeless elegance.

Black is beautiful and in trend – BACHMANN goes along with this trend and provides its accustomed quality and style with its PURE BLACK product series and the completely black KAPSA, ELEVATOR, TWIST, PRIMO 2, DESK 2 and PIX.

All Black for kitchens, offices and living rooms: our products in exclusive black leave nothing to be desired and blend perfectly into any chosen field of application. With the PURE BLACK product series, connection panels are transformed into trendsetters and our design icons KAPSA, ELEVATOR, TWIST, PRIMO 2, DESK 2 and PIX become genuine prestige objects.

ADVANTAGES

- **Completely in trend colour black**
- **Exclusive, elegant, timeless**
- **Design with a strong character**
- **Matches the black kitchen trend**
- **Design connection panel with prestige**

**BACH
MANN**

We power your life.

TWIST

- Material: Cover disk – metal | Socket – plastic
- Mounting depth: 40 mm
- Tabletop thickness: min. 8 mm



931.150



931.131



931.132

#										
---	--	--	--	--	--	--	--	--	--	--

Matt black (painted, similar to RAL9005) | Power input: 2.0 m cable with ferrules and mounting plug, included

931.150	2									42.5 x Ø 115 mm
931.131	1				A/A 15W					42.5 x Ø 115 mm
931.152		2								42.5 x Ø 115 mm
931.132			1		A/A 15W					42.5 x Ø 115 mm

PIX

- Material: Plastic
- Mounting depth without cable: 45 mm
- Tabletop thickness: 10–40 mm



926.000



926.002



926.004

#										
---	--	--	--	--	--	--	--	--	--	--

Black with 2 decorative rings (black, similar to RAL9005 and white, similar to RAL9010) | Power input: 0.2 m with GST18

926.000	1									50 x Ø 68 mm
926.002			1							50 x Ø 68 mm
926.004					1 (T13)					50 x Ø 68 mm

ELEVATOR

- Material: Profile – aluminium | Socket – plastic
- Mounting depth without cable: 135 mm
- Tabletop thickness: 16–60 mm



928.086



928.0024



928.0037



928.0177

#											
---	--	--	--	--	--	--	--	--	--	--	--

Matt black | Power input: 0.5 m with GST18

928.086	1					90°	A/A 15W				230 x Ø 114 mm
---------	---	--	--	--	--	-----	---------	--	--	--	----------------

Matt black | Power input: 2.0 m cable with ferrules and mounting plug, included

928.0024	2					90°					230 x Ø 114 mm
928.0037	1				2	90°					230 x Ø 114 mm
928.0177	1					90°	A/A 15W				230 x Ø 114 mm

PRIMO 2

- Anodised black aluminium profile



350.011



350.0136

#	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10
---	--------	--------	--------	--------	--------	--------	--------	--------	--------	---------

With loop | Socket outlet with earthing contact | Supply cable: 2.0 m H05VV-F 3G 1.5 mm² with right-angled plug with earthing contact

350.011	6					35°	•	•		484 x 64 x 45 mm
350.0136		3				45°				329 x 64 x 45 mm
350.056			3			35°				261 x 64 x 45 mm
350.075				6 (T13)		90°				409 x 64 x 45 mm

DESK 2

- Profile: Aluminium, painted black
- Socket: Plastic, black
- Tabletop thickness: 10–40 mm



902.962



902.978



902.980

#	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10
---	--------	--------	--------	--------	--------	--------	--------	--------	--------	---------

Black, similar to RAL9005 | Without device supply cable | Power input: 0.2 m with GST18 | Incl. mounting bracket

902.962	2					35°	A&C 22W			209 x 85 x 100 mm
902.978		2				45°	C 30W	1		294 x 85 x 100 mm
902.980			2			35°	A&C 22W			209 x 85 x 100 mm

KAPSA set – power strip and lid

- Material: Plastic, aluminium
- Mounting depth without cable: 45 mm
- Tabletop thickness: 10–40 mm



728.160



927.711

#	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10
---	--------	--------	--------	--------	--------	--------	--------	--------	--------	---------

Matt black | Power input: 2.0 m cable with ferrules and mounting plug, included

927.160	3					35°				204 x 50 x 70 mm
927.711	1					35°	A&C 22W			204 x 50 x 70 mm

