

CONVERTING TECHNOLOGIES

(eldslo

(CIVIE)

DISCOVER LINDY lindy.com

KINO,

*



DISPLAYPORT CONVERTER RANGE

The Lindy DisplayPort converter range brings seamless integration of different video signals to your office PC and laptop.

Available with HDMI, DVI and VGA connections, including multi interface versions.

DISPLAYPORT 1.2 TO HDMI 2.0 18G ACTIVE CONVERTER



- Connect a DisplayPort computer to an HDMI 4k display
- Supports resolutions up to 3840x2160@60Hz
- Audio pass-through if supported by the video source

No. 41068

MINI DISPLAYPORT 1.2 TO HDMI 2.0 18G ACTIVE CONVERTER



- Connect a Mini DisplayPort computer to an HDMI 4k display
- Supports resolutions up to 3840x2160@60Hz
- Audio pass-through if supported by the video source

No. 41069

DISPLAYPORT 1.2 TO HDMI 1.4 CONVERTER



- Converts a DisplayPort signal into HDMI
- Supports resolutions up to 4K 3840x2160@30Hz
- Audio pass-through if supported by the video source

No. 41718

No. 41004

MINI DISPLAYPORT 1.2 TO HDMI 1.4, DVI & VGA CONVERTER



Converts a DisplayPort
 signal into HDMI

- Supports HDMI resolutions up to 4K@30Hz, VGA up to Full HD and DVI up to and above Full HD
- Easily connect with a single legacy or modern display at any one time

No. 41035

DISPLAYPORT 1.2 TO DVI CONVERTER



- Converts a DisplayPort signal into DVI
- Supports resolutions up to 1920x1080@60Hz / 1920x1200@60Hz
- Add a DVI monitor as a secondary display



MINI DISPLAYPORT 1.2 TO **DISPLAYPORT 1.2, HDMI 1.4 & DVI CONVERTER**



- Converts a DisplayPort signal to HDMI, DP or DVI Supports HDMI resolutions up to 4K@30Hz, DP up to 3840x2160@60Hz and DVI up to and above Full HD
- Audio pass-through for HDMI and DisplayPort

No. 41039

DISPLAYPORT 1.4 TO HDMI 48G ACTIVE CONVERTER



- · Connects a DisplayPort 1.4 computer to an HDMI 8K
- Supports resolutions up to 7680x4320@60Hz and 3840x2160 @120Hz
- Audio pass-through if supported by the video source

DISPLAYPORT 1.2 TO HDMI 1.3 CONVERTER CONVERTER



- Converts a DisplayPort signal into HDMI
- Supports resolutions up to 1920x1080@60Hz
- · Add an HDMI monitor as a secondary display

No. 41005

DISPLAYPORT 1.2 TO VGA ACTIVE CONVERTER CONVERTER



- Converts a DisplayPort signal into VGA
- · Supports resolutions up to 1920x1080@60Hz
- · Add a VGA monitor as a secondary display

No. 41006


0.20m MINI DISPLAYPORT TO **DISPLAYPORT ADAPTER CABLE**



- Mini DisplayPort Male to DisplayPort Female
 - Supports all DisplayPort resolutions
 - Fully compatible with the DisplayPort specification

No. 41021

DISPLAYPORT 1.2 TO HDMI 1.4, DVI & **VGA ACTIVE CONVERTER**





DISPLAYPORT TO MINI DISPLAYPORT ADAPTER



- DisplayPort Male to Mini DisplayPort Female Adapter
- Gold plated contacts
- DPCP & HDCP compliant

MINI DISPLAYPORT TO DVI ACTIVE CONVERTER

- Converts a DisplayPort signal into DVI
- Supports resolutions up to 1920x1200@60Hz
- Add a DVI monitor as a secondary display



DISPLAYPORT TO DVI ACTIVE CONVERTER



 Converts a DisplayPort signal into DVI

• Supports resolutions up to 1920x1200@60Hz

No. 41089

 Add a DVI monitor as a secondary display



DVI CONVERTER RANGE

With Lindy DVI converters you can connect a range of legacy devices together. With VGA and HDMI versions these are the ideal solutions for use with existing projector and display installations.

DVI-D TO VGA CONVERTER



- Converts DVI-D signals into VGA
- Supports resolutions up to 1920x1200 including 1080p
- Add a VGA monitor as a secondary display

No. 38189

DVI-D FEMALE TO HDMI MALE ADAPTER CABLE, 0.2m

- Allows DVI-D signal cables to be connected to a display with an HDMI input
- This adapter supports digital signals only, analogue connections are not supported
- Connectors: DVI-D Female to HDMI Male



0.2m DVI-I FEMALE (ANALOGUE) TO VGA MALE ADAPTER CABLE

- Connectors: DVI-I (Analogue) Female to VGA 15 Way HD
 Male
- 10 Year Warranty
- Length: 20cm



PREMIUM DVI-I COUPLER, MALE TO FEMALE

- Compact, moulded black plastic construction with internal shielding and gold plated connectors and contacts
- DVI-I Male to DVI-I Female
- Supports DVI Analogue / DVI Digital Single & Dual Link signals





HDMI CONVERTER RANGE

Lindy HDMI to VGA and DVI converters are the ideal solution for using modern laptops and PCs with older VGA and DVI equipped displays.

The USB 3.0 to HDMI Video Grabber Converter is a useful device that captures video and audio from an HDMI source.

HDMI CEC LESS ADAPTER, FEMALE TO MALE

- Correct CEC connection issues
- No connection on Pin 13 stops issues between your HDMI devices and switches
- High quality HDMI adapter with gold plated connectors and contacts



HDMI 1.4 TO DISPLAYPORT 1.1 CONVERTER



- Converts an HDMI input into a DisplayPort signal
- Supports resolutions up to 3840x2160@30Hz
- Supports 7.1 channel surround audio

HDMI TO VGA AND AUDIO CONVERTER



- Connects an HDMI equip ped device to a VGA display and analogue speakers
- Supports resolutions up to 1920x1200 including 1080p
- Direct signal conversion, without scaling

No. 38285

HDMI 1.3 TO VGA CONVERTER



 Converts HDMI signals into VGA

No. 38146

No. 38194

- Supports resolutions up to 1920x1200@60Hz
- Add a VGA monitor as a secondary display

HDMI TO VGA CONVERTER



- Connects an HDMI equipped device to a VGA display
- Supports resolutions up to 1920x1200 including 1080p
- Direct signal conversion, without scaling



HDMI FEMALE TO DVI-D MALE ADAPTER

- Allows HDMI Type A cables to be connected to a device with a DVI-D or DVI-I input
- Supports digital signals only
- Connectors: HDMI Type A Female to DVI-D Single Link
 Male



No. 41228

HDMI TO USB 3.0 VIDEO CAPTURE DEVICE



- Capture video and audio from a HDMI source device
- High USB Bandwidth, enabling video capture up to 1080p@60Hz
- Compatible with Windows 7, 8 and 10, Mac OS X 10.8 and above (not compatible with macOS 10.14 or hig her)



USB CONVERTER RANGE

Lindy's USB converter products are compact and versatile solutions for connecting laptops and PCs to a large range of devices, including displays and computer peripherals.

Perfect for combined legacy and new technology installations.


USB TYPE C TO DISPLAYPORT 4K60 ADAPTER CABLE WITH HDR



- Connects a 4K DP display to a computer equipped with a USB Type C port
- Supports DisplayPort resolutions up to 4K 3840x2160@60Hz with HDR
- Perfect for connecting Macbooks, laptops and PCs to modern DP displays

LENGTH	NO.
1m	43301
2m	43302
3m	43303

USB TYPE C TO HDMI 4K60 CONVERTER



USB TYPE C TO HDMI 4K60 ADAPTER CABLE WITH HDR



- Connect a 4K HDMI display to your computer's USB Type C port
- Supports HDMI resolutions up to 4K 4096x2160@60Hz
- High Dynamic Range support provides deeper blacks, brighter whites and a wider colour gamut

LENGTH	NO.
1m	43291
2m	43292
3m	43293

USB TYPE C TO VGA CONVERTER

- · Converts a USB Type C port to a VGA port
- Supports VGA resolutions up to 1920x1200@60Hz
- Requires DisplayPort Alternate Mode support by the USB Port/Bus



USB TYPE C TO DVI CONVERTER

- Converts a USB Type-C port to a DVI-D port
- Requires DisplayPort Alternate Support by the USB Port/ Bus
- Supports resolutions up to 1920x1200 & 1080p







USB TYPE C TO DISPLAYPORT CONVERTER



USB 2.0 TYPE A MALE TO TYPE C FEMALE ADAPTER



- Connect USB Type C devices to a USB Type A port on a Laptop, Computer or Charger
- USB 2.0 Adapter for data transfer rates of up to 480Mbps
- Reversible Type C female port ensures an easy connection for all Type C devices

No. 41884

No. 42855

USB TO SERIAL CONVERTER



- Connects to any standard serial device via USB Type A
- Bulit-in COM Port Retention feature allows COM port settings to be stored within the converter
- USB bus-powered with no external power supply required

No. 42686

USB TO SERIAL CONVERTER LITE



Connects to any standard serial device via USB Type A

- 9 Way D Male to USB A Male connectors
- Plug & Play USB bus-powered with no external power supply required

USB TO 2 PORT SERIAL CONVERTER



- Connects two standard serial devices via USB Type A
- Two 9 Way D Male to 1x USB A Male connector
- Plug & Play USB bus-powered with no external power supply required



USB TO RS485 CONVERTER



Connects to any serial RS485 device via USB Type A 9 Way D Male to USB A Male

Plug & Play - USB bus-po wered with no external power

No. 42845

USB TYPE A TO AUDIO CONVERTER



- · Add 3.5mm audio interfaces to your ultrabook, notebook or tablet
- Connect a 3.5mm stereo headphone or speaker
- Connect an external 3.5mm

No 42926

USB TO RS422 CONVERTER



- · Connects to any serial RS422 device via USB Type
- 9 Way D Male to USB A Male connectors
- Plug & Play USB buspowered with no external power supply required

No. 42844

USB TYPE C TO 2X DP SPLITTER -2 PORT MST HUB

- Connect 2 DisplayPort displays to a USB Type C Port with DisplayPort Alternate Mode support
- · Supports resolutions up to 4K 3840x2160@60Hz or 2560x1600@30Hz if two displays are connected simultaneously
- Open applications on separate displays or expanded across multiple monitors



USB 3.1 NOTEBOOK DOCKING STATION

- Adds a USB 3.0 Type A port, an HDMI and a Gigabit Ethernet port to your notebook
- Supports Ultra HD 4K 30Hz for HDMI displays
- DisplayPort Alternate Mode



USB 3.1 HUB & ETHERNET CONVERTER

- · Connects a USB 3.1 Type C computer to a Gigabit Ethernet network
- Provides three USB 3.1 Gen 1 / 3.0 Type A ports
- Supports 10/100/1000BASE-T, full and half duplex mode





USB TYPE C TO TRIPLE DISPLAY CONVERTER



- Converts a USB 3.1 Type C port to an HDMI, DVI or VGA port
- Requires DisplayPort Alternate Support by the USB Port/Bus
- Supports resolutions up to 4096x2160@30Hz RGB (HDMI) / 1920x1200@60Hz (DVI) / 1920x1080@60Hz (VGA)

No. 43273

USB TYPE C TO HDMI CONVERTER WITH HDR



- · Converts a USB Type C port to a HDMI port
- · Supports HDMI resolutions up to 3840x2160@60Hz 4:4:4 8bit and 3840x2160@60Hz 4:2:2 12bit with additional support for HDR
- Requires DisplayPort Alternate Mode support by the USB Port/Bus

No. 43276

USB TYPE C TO MULTI-AV CONVERTER



- Allows users to connect a DisplayPort, HDMI, DVI or VGA device to a USB Type C port
- Supports HDMI and DP resolutions up to 4K@60Hz, VGA and DVI up to 1920x1200@60Hz
- Requires DisplayPort Alternate support from the USB Port/Bus

No 43279



USB 3.2 TYPE C MINI LAPTOP DOCK -4K HDMI & DP, PD 3.0 100W, USB 3.2, **GIGABIT ETHERNET, SD, AUDIO**



- Adds 2 USB Type A ports & 1 USB Type C port (5Gbps), a 4K HDMI and DP port, Gi gabit Ethernet and an Audio port to a laptop
- · Supports 840x2160@30Hz for an HDMI or DP display and Full HD 1920x1080 for simultaneous use of HDMI and DP displays
- · Features DisplayPort Alternate Mode

No. 43323

• Converts a USB Type C connection the USB Port/Bus

USB TYPE C TO HDMI 8K CONVERTER

- port to an 8K capable HDMI
- Supports HDMI resolutions up to 7680x4320@60Hz and 3840x2160@120Hz
- Requires DisplayPort 1.4 Alternate Mode support by



Lindy Electronics Ltd. Stockton-on-Tees t: 01642 754000 e: sales@lindy.co.uk www.lindy.co.uk

www.lindy.co.uk



Publishing Date: 02/2022 uk