
ROLINE UTP Data Center Patch Cord Cat.6A (Class EA), LSOH, Slim, grey, 5 m

Product No.	21.15.3907
Manufacturer	ROLINE
Manufacturer No.	21.15.3907
EAN (single piece)	7630049614895







Category 6A twisted-pair patch cable with RJ-45 connectors on both sides. Particularly thin and flexible cable with individual pairs of wires for use in confined spaces, such as in data centres.

• Durable thanks to moulded-on kink protection
• Suitable as patch cable in patch panels or as device connection cable and intended for use in the LAN
• Contact assignment: 1:1 according to EIA/TIA568, 8 cores
• Structure: 8 cores stranded wire

Technical specifications	
Manufacturer	ROLINE
Product group	Twisted Pair Cable
Product type	U/UTP patch cord
Colour	grey
Length	5 m
Shield type	U/UTP

Transfer quality	Cat6A / Class EA
Quantity of wires	8
Conductor cross section (AWG)	AWG 32
Inner conductor material	BC (Bare Copper)
Conductor type	Stranded
Crossed	no
Slim cable	yes
Assignment	EIA/TIA 568B
Locking lever	yes
Anti-kink sleeve	Moulded-on
External cable diameter	3.4 +/- 0.2mm
Cable LSOH	yes
Side 1 Connector Type	RJ-45
Side 1 Connector Gender	Male
Side 2 Connector Type	RJ-45
Side 2 Connector Gender	Male
Connector Type RJ45	Standard
Operating temperature min.	-10 °C
Operating temperature max.	60 °C
Weight	64.8 g
Height of packaging (single piece)	20 mm
Width of packaging (single piece)	120 mm
Depth of packaging (single piece)	150 mm

Package weight (single piece)	0.07 kg