VALUE 19" Wall Mount Rack 6U, 368 x 570 x 450 (HxWxD), black

Product No.	26.99.0146
Manufacturer	VALUE
Manufacturer No.	26.99.0146
EAN (single piece)	7611990130528





• VALUE stand/wall mount cabinets for the installation of active and passive network components
• Toughened glass front with lock with rotary handle, the direction of opening the door can be changed according to the requirement, the opening degree of the door is more than 180°
• Quick open side door, convenient for equipment installation and maintaining
• One cable channel on the top and the other on the bottom
• 19" standard installation, installation depth can be adjusted according to the requirement
• Colour: black (RAL 7021)
• Max. Load (distributed): 60 kg
• Remark: Delivery as an assembly set
• Contents: Wall mount rack, grounding set, installation material

For small network installations, even a half-height network cabinet is often too big, especially since only a parking space has to be found. In such cases, wall enclosures are the better solution. They provide enough space for some switches and patch panels and do not require space on the floor due to wall mounting. In addition, the network administrator can easily read the status of the switches without compromising their knees, or patch a patch cable without slipping on the ground.
The VALUE wall enclosures prove that such practical solutions can also be attractive. The black, slightly shiny housings are quite office-appropriate. A generous glass insert in the door allows a clear view of all built-in active and passive components even when the door is closed. Both the door and the side walls can be removed for optimum access to the inside of the housing; The cable feed can be carried out from above or below. The door of the VALUE wall housing comes with lockable swivel lever.

Remark: Picture similar

Technical specifications	
Manufacturer	VALUE
Product group	19"-/10"-Cabinet
Product type	19"-wall housing
Colour	black
Scope of delivery	Wall mount rack, grounding set, installation material
Modular spacing	482.6 mm (19 inch)
Height units	6 U
Maximum rack depth supported	350 mm
Delivery condition	Flatpack, disassembled
Demountable	yes
Server cabinet	no
Wall mountable	yes
Socket	no
Socket with tilt protection	no
Dimensions (HxWxD) w/o socket	368 x 570 x 450 mm
Maximum weight capacity	60 kg
Number of doors	1
With front door	yes
With backside door	no
With glazed door	yes
Front	Glass door with frame
Side panel	Plug door
19" level	Ahead
Roof	Cable entry possibility

Roof raised	no
Floor	Closed
Ventilation	Passive
Fan ready	yes
Grounding set mounted	no
Colour (Cabinet)	black
Colour (Covering)	black
Colour	black
Height	368 mm
Width	570 mm
Depth	450 mm
Weight	14.84 kg
Height of packaging (single piece)	290 mm
Width of packaging (single piece)	450 mm
Depth of packaging (single piece)	660 mm
Package weight (single piece)	16.967 kg