



Datenblatt - Fiche technique - Data sheet

**11.99.5565**




VALUE Verlängerungskabel DVI, DVI ST-BU, (24+1) dual link, 5,0m

VALUE Câble DVI, DVI M-F, (24+1) dual link, 5,0m

VALUE Monitor DVI Cable, DVI (24+1), Dual Link, M/F, 5.0 m


5000 ± 50mm



**ELECTRICAL TEST:**

1. 100% OPEN & SHORT & MIS WIRE TEST
2. CONTACT RESISTANCE: 2 OHM(MAX)
3. INSULATION RESISTANCE: 10M OHM(MIN)
4. HI-POT TEST: DC 300V/10ms

**PIN Assignment**



10	A2-R023278	DVI(24+1)F Solder shell nickel plated with nut insulation :Black	1	pcs
9	A6-0000025	DVI M Dust cap	1	pcs
8	A10-R075073	H.S.T: φ 1.5*20mm*2pcs Black	0.04	m
7	A10-R075002	H.S.T:: φ 1.0*12mm*14pcs Black	0.168	m
6	A10-R075005	H.S.T: φ 2.5*14mm*14pcs Black	0.196	m
5	A7-R040001	#4-40UNC 2.8*45MM Nickel plated	2	pcs
4	A5-R047001	45P Black PVC	70	g
3	A5-R047011	Transparent PE	10	g
2	A2-R020051	DVI(24+1)M Solder Shell nickel plated insulation:Black	1	pcs
1	A4-R001494	UL20276 (28AWG*1P+EAM)*7C+28AWG*1P+28AWG*3C+AEB 50%AL OD:8.5MM Black	L	M
NO	ITEM	DESCRIPTION	Q'TY	UNIT

TOLERANCE			Rotronic Co., Ltd.		
	INCHES	M/M			
⌀	.X	.015			.30
	.XX	.010	.10		
	.XXX	.005	.05		
DRAWN BY		joe		TITLE: VALUE DVI Cable, DVI M-F, Dual Link, 5m	
CHECK BY				CUSTOMER : CUSTOMER P/N : 11.99.5565	
APPD BY				SCALE : NONE	
				UNIT : MM	
				DATE : 12.05.28	
				DRAWING NO.: CA1790087	
				REV. A	
				1/1	