



Datenblatt - Fiche technique - Data sheet

**21.99.0502**




VALUE UTP-Patchkabel konf. Kat. 5e, grau, 2,0 m


Cordon VALUE Cat.5e UTP confectionné, gris, 2,0 m

VALUE UTP Patch Cord Cat.5e, grey, 2.0 m

L+T



WIRING DIAGRAM



- 1 WHITE-ORANGE
- 2 ORANGE
- 3 WHITE-GREEN
- 6 GREEN
- 4 BLUE
- 5 WHITE-BLUE
- 7 WHITE-BROWN
- 8 BROWN

Length	T
L≤1000	+60/-0mm
1000<L≤10000	+100/-0mm
10000<L≤20000	+200/-0mm
20000<L	+300/-0mm

MATERIAL LIST

⑥	PACKING	PE BAG	1	
⑤	MINI TIE	PE MINI TIE (POSSESS METAL) COLOUR (GRAY 420C)	2	
④	LABEL	NO DRY GLUE LABEL	1	
③	OVER MOLD	PVC COLOR GRAY 420C	2	
②	CONNECTOR	RJ45 8P8C UNSHIELDED PIN GOLD PLATED 3U*	2	
①	CABLE	UTP CAT. 5E 24AWG (7/0.20CCA)*4PAIRS JACKET:PVC/GRAY (420C) OD: 5.4±0.2mm	1	
NO.	PARTS NAME	SPECIFICATION STANDARD	QT'Y	REMARK
		NEW		
BY	CHK	REVISION RECORD MODIFICATION	2010-10-28	DATE

NOTE:

1. 100% OPEN SHORT, MISS WIRE TEST
2. PRINT BLACK WORD:  
UTP CAT. 5E 24AWG×4P PATCH ISO/IEC 11801 & EN 50173 VERIFIED
3. Reach and ROHS COMPLIANT


**Rotronic Co., Ltd.**

CUSTOMER	Rotronic Co., Ltd.	ITEM No.	
PRODUCT NAME	CAT. 5E UTP	UNIT	MM
DRAWN BY	CHECK BY	APPO BY	DATE
LV WENFENG			2010-10-28

REV. A

REV.

ITEM NO.	LENGTH	PACKING
21.99.0500VR	0.5M	PE BAG
21.99.0501VR	1M	PE BAG
21.99.0502VR	2M	PE BAG
21.99.0503VR	3M	PE BAG
21.99.0505VR	5M	PE BAG
21.99.0507VR	7M	PE BAG
21.99.0510VR	10M	PE BAG
21.99.0515VR	15M	PE BAG
21.99.0520VR	20M	PE BAG
21.99.0530VR	30M	PE BAG



# Rotronic Co., Ltd.

CUSTOMER	Rotronic Co., Ltd.	ITEM NO.	
PRODUCT NAME	CAT. 5E UTP	UNIT	MM
DRAWN BY	CHECK BY	APPO BY	DATE
LY WENFENG			2010-10-28

2010-10-28 A

REV. DATE

NEW

REVISION RECORD MODIFICATION

BY CHK